



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

Minutes of the IQAC meeting held on 10th June 2022

Academic Year: 2021 – 22

TIME: 10: 00 am

AGENDA

- ❖ Academic Audit
- ❖ Co-curricular activities
- ❖ Skill based courses

POINTS DISCUSSED

1. The Principal and the Chairman, Sri K. Sri Rama Krishna welcomed the members and readout the agenda. He asked the IQAC Coordinator to conduct the Academic Audit as early as possible.
2. The IQAC Coordinator and the HoD, CSE insisted that more co-curricular activities to be conducted like Faculty development programmes, Workshop on Artificial Intelligence, Machine Learning, Cyber security, IoT, 5G, and Block-chain Technology to supplement the curriculum, so that the students get the necessary knowledge to carry out the projects and get into core companies. He added that the steps need to be taken to improve the internship performance of the students so as to achieve get real-time experience.
3. The HoD of ECE, Dr. A. Ravi and the HoD of EEE, Dr. Y. Rajendra babu presented that the students of their students were undergoing skill-based training on latest technologies and some of them were in onsite training in some industries.
4. The Principal and the Chairman, Dr. K. Sri Rama Krishna gave the closing remarks and concluded the meeting.

ACTION TAKEN

1. All the departments completed the Academic audit exercise and the summary of the audit report was submitted to the Principal for further action. To mention a few: more FDPs in recent emerging technologies to be organised, more publications to be done in quality journals, Students to do more internships.
2. Steps were taken to conduct Application based learning, projects and internship programmes. The Hods have stressed their faculty members to carry out the that real time projects and Publish papers. Publications in Scopus indexed journals, books published, MoUs, Internships are considerably improved.
3. Mentor mentee meeting was conducted by all the faculty members for their wards in the first week of April 2021.
4. The ISO internal audit and Surveillance audit were completed in August 2021.
5. Environmental, Green, and Energy Audits were conducted in February 2022.



IQAC Coordinator

Coordinator

Internal Quality Assessment Committee


Principal

PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : D. PAVANI A.Y. : 2021 - 2022
Roll No. : 20KTA0210 Department : EEE
Year : II Semester : 2

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

D. Pavani
Signature of the Student

Coordinator

Internal Quality Assessment Committee

PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : P. SAI BABU A.Y. : 2021 - 2022
Roll No. : 20KTIA0226 Department : EEE
Year : II Semester : 2

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓


P. Sai babu
Signature of the Student

Coordinator

Internal Quality Assessment Committee

PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.

Internal Quality Assessment Committee



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : M. Pavani A.Y. : 2021-2022,
Roll No. : 2021AD442 Department : ECE
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college					✓
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	


M. Pavani
Signature of the Student

Coordinator

Internal Quality Assessment Committee

PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : 20KT1A0414 A.Y. : 2021 - 2022
Roll No. : G. Lokesh Department : ECE
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent


S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	✓
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

G. Lokesh
Signature of the Student

[Signature]
Coordinator

Internal Quality Assessment Committee

[Signature]
PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : M-Poojitha A.Y. : 2021-2022
Roll No. : 20RT1A0537 Department : cse
Year : II Semester II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

M-Poojitha
Signature of the Student




Coordinator

Internal Quality Assessment Committee


PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : B. Sai Teja A.Y. : 2021-2022
Roll No. : 20KT1A4204 Department : CSM(EL)
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	


B. Sai Teja
Signature of the Student

Coordinator

Internal Quality Assessment Committee

PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO COLLEGE OF ENGINEERING & TECHNOLOGY

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : T. Karthik Sai A.Y. : 2021-2022
Roll No. : 20K11A0586 Department : CSE
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college					✓
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	✓
8	Do the girls feel secure in the campus					✓
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	✓
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

T. Karthik Sai

Signature of the Student

Coordinator

Internal Quality Assessment Committee

PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : G. Manasa A.Y. : 2021-2022
Roll No. : 20KTIA4718 Department : CIC
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus				✓	✓
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

G. Manasa
Signature of the Student


Coordinator

Internal Quality Assessment Committee


PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada

Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906

D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.

Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

Minutes of the IQAC meeting held on 8th March 2021

Academic Year: **2020 – 21**

TIME: 10: 00 am

AGENDA

- ❖ Staff appraisal
- ❖ Mentoring activities
- ❖ ISO Audit
- ❖ Environmental, Green, and Energy Audits

POINTS DISCUSSED

1. The Principal and the Chairman, Sri K. Sri Rama Krishna welcomed the members and readout the agenda. He asked the HoDs to conduct the Performance Based Appraisal to all the faculty and submit the reports by June 10 2021. Faculty performance appraisal need to be carried out and the parameters to be modified according to the requirements of the current educational scenario.
2. The IQAC Coordinator and HoD of CSE, Dr. A. Pathanjali Sastri said that the Internal ISO Audit shall be scheduled during the 2nd week of April 2021 followed by ISO audit
3. Faculty members are instructed by the Principal and the Chairman, Dr. K. Sri Rama Krishna to organize a Mentor- Mentee meeting with their respective wards with an Agenda that includes academic program, grievance, feedback etc.
4. The Principal and the Chairman, Dr. K. Sri Rama Krishna gave the closing remarks and concluded with the announcing that the review meeting of the departments with Secretary shall be conducted by the end of April 2021.

ACTION TAKEN


1. Faculty appraisal module modified with new parameters for assessment.
2. Instructions were given to conduct parent teacher meeting.


IQAC Coordinator
Coordinator

Internal Quality Assessment Committee


Principal
PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : *H. Jagadeesh* A.Y. : *2020-2021*
Roll No. : *19KTIA0483* Department : *ECE*
Year : *2* Semester : *2*

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent


S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college			✓		
2	Wi-Fi and Internet facility			✓		
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

Jagadeesh
Signature of the Student

[Signature]
Coordinator

Internal Quality Assessment Committee

[Signature]
PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.


Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in


FEEDBACK ON FACILITIES

Name of the Student : V. Rohith A.Y. : 2020-2021
Roll No. : 19KT1A04C2 Department : ECE
Year : 2 Semester : 2

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college			✓		
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance			✓		
5	How You Find Institutions Administrative officers?			✓		
6	Usage of ICT facility in the class room				✓	✓
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus					✓
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓


Signature of the Student




Coordinator

Internal Quality Assessment Committee


PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO COLLEGE OF ENGINEERING & TECHNOLOGY

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.

Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : G. Balaji A.Y. : 2020-21
Roll No. : 19K1A0418 Department : ECE
Year : II-II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college			✓	✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library			✓		
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓


G. Balaji
Signature of the Student

Coordinator

Internal Quality Assessment Committee

PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO COLLEGE OF ENGINEERING & TECHNOLOGY

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : K. Harika A.Y. : 2020-21
Roll No. : 19KT1A0430 Department : ELE
Year : II-II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus			✓		
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance			✓		
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

K. Harika
Signature of the Student

Coordinator

Internal Quality Assessment Committee

PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : P. Anusha A.Y. : 2020-21
Roll No. : 20KT5A0506 Department : CSE
Year : II - II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college			/		
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

P. Anusha
Signature of the Student

[Signature]

Coordinator

Internal Quality Assessment Committee

[Signature]
PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada

Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906

D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.

Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

Minutes of the IQAC meeting held on 1st August 2020 –Online Meeting

Academic Year: 2019 – 20

TIME: 10: 00 am

AGENDA

- ❖ Adoption of online resources of Swayam and Coursera by both Faculty members and students for knowledge improvement and certifications
- ❖ Monitoring online teaching – learning activities
- ❖ Remote Internships

POINTS DISCUSSED

1. The Principal and the Chairman, Sri K. Sri Rama Krishna welcomed all the members and readout the agenda and requested all the members to discuss on the points to the core. He insisted upon the effective teaching in online mode and said that the Teaching Learning process will be more technology oriented in future and the faculty members need to be trained for this. All the HoDs are informed that the training schedule to be planned for the effective usage of online teaching using ZOOM and Google Meet.
2. The IQAC Coordinator and HoD of CSE, Dr. A. Pathanjali Sastri said that the online classes are to be monitored by the respective Heads and Class I/cs.
3. The IQAC Coordinator and HoD of CSE, Dr. A. Pathanjali Sastri asked the members to plan remote internships wherever it is applicable.
4. The HoD, ECE, Dr. A. Ravi insisted that all the faculty members and students need to do online certifications in Swayam and coursera platforms to upgrade their skills in advanced technologies.
5. The Principal and the Chairman, Dr. K. Sri Rama Krishna gave the closing remarks and concluded with the announcing that the review meeting of the departments with Secretary shall be conducted by the end of August 2020.

Action Taken


1. The faculty members were trained to create Google Classroom, invite students to Google Classroom, add materials and videos in Google Classroom, organize Google Meet for the classes, Grade the assignments and Quizzes, create Google forms and Videos using Screencast – O – Matic, Active Presenter etc. by Mr. K. Sudhakar, Associated Professor of Department of CSE.
2. Online classes were handled using Google Meet for all the programmes from 10-08-2020. Feedback was obtained from students and faculty members regarding the effectiveness of online classes.
3. The online certifications for faculty members have been made mandatory for all the faculty members. The students were encouraged to do courses in NPTEL and other standard online platforms like coursera, etc,
4. Remote internships were encouraged for the students through Internshala.


IQAC Coordinator


Principal

Internal Quality Assessment Committee

PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada

Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906

D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.

Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : K. Ravi teja A.Y. : 2019-2020
Roll No. : 19KT5A0316 Department : Mechanical
Year : 2 Semester : 2

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

K. Raviteja
Signature of the Student

Coordinator

Internal Quality Assessment Committee

PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : D. Raju A.Y. : 2019-2020
Roll No. : 18 KT1A0112 Department : CIVIL
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college					✓
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility				✓	✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓




Coordinator

D. Raju
Signature of the Student

Internal Quality Assessment Committee


PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in


FEEDBACK ON FACILITIES

Name of the Student : D. Sowmya A.Y. : 2019-2020
Roll No. : 18KTIAD0212 Department : EEE
Year : 2 Semester : 2


Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent


S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college					✓
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

D. Sowmya
Signature of the Student


Coordinator

Internal Quality Assessment Committee


PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : M. Naga Sai A.Y. : 2019-2020
Roll No. : 18KT1A0226 Department : EEE
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent


S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus					✓
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	


Coordinator

M. Naga Sai
Signature of the Student

Internal Quality Assessment Committee


PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : D. Swetha A.Y. : 2019-20
Roll No. : 18KTA0512 Department : CSE
Year : 2 Semester : 2


Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent


S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

D. Swetha
Signature of the Student


Coordinator

Internal Quality Assessment Committee


PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : K. Yasaswi A.Y. : 2019-20
Roll No. : 18KPIA0519 Department : CSE
Year : II year II Semester : 2

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

K. Yasaswi


Signature of the Student

Coordinator

Internal Quality Assessment Committee

PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : P. Dilip A.Y. : 2019-20
Roll No. : 18KT1A0495 Department : ECE
Year : 2 Semester : 2

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room					✓
7	Canteen facilities; Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus					✓
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	


P. Dilip
Signature of the Student



Coordinator

Internal Quality Assessment Committee


PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : P.BHARGAV A.Y. : 2019-20
Roll No. : 18K71A05A0 Department : Computer science Engineering
Year : 2 Semester : 2


Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent


S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus					✓
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

P. Bhargav
Signature of the Student


Coordinator

Internal Quality Assessment Committee


PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO COLLEGE OF ENGINEERING & TECHNOLOGY

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : E-Keerthi A.Y. : 2019-20
Roll No. : 18KT1A0415 Department : ECE
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college					✓
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

E-Keerthi

Signature of the Student


Coordinator

Internal Quality Assessment Committee

Principal

PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906

D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.

Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : M. Yamuna A.Y. : 2019-20
Roll No. : 18KTI1A0432 Department : ECE
Year : II Semester : 2


Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college					✓
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

M. Yamuna
Signature of the Student


Coordinator

Internal Quality Assessment Committee


PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada

Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906

D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.

Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

Minutes of the IQAC meeting held on Dec 22, 2018

Academic Year: **2018 – 19**

1. Minutes of previous meeting were confirmed.
2. Analyzed previous year's results.
3. Administrative audit reports were reviewed. Shortcomings in the system were identified in terms of the following were analyzed.
 - a. College Infrastructure
 - b. Achievements
 - c. Various Committees and Operations
 - d. Contribution of college towards their vision
4. Performance of the Institution in terms of strengthening of Research and Innovation and mechanism for IQAC audit were discussed.
5. Needs to enhance Faculty strength and Student strength.
6. Needs to upgrade and expand infrastructure.
7. Promote Research, Innovation and Start-up (Enhance publication output 20% each year, incubate at least 20 start-up in 5 years, state of the art laboratories).
8. Establish effective academic and industry linkage (Enter into MoUs each year with Premier Universities and Industries).
9. Institute formed a Centre for Academic and Industrial Collaboration
10. Needs to enhance quality in every aspects of institution operation (Continuous documentation and analysis of performance in teaching and research).
11. Increase and enhance/extension of research activities by collaborative research with other active research groups.
12. The numbers of students qualifying for GATE and GRE level competitive examinations are very low. Steps may be taken to provide special coaching to the students.
13. The results of the Mathematics subject in all the engineering programmes are very low and needs to be well addressed in the programmes.
14. Student centric learning/knowledge exchange activities to be encouraged.

15. Enough market study needs to be conducted to ensure that there are enough placement opportunities for the graduated.

16. Research

Following areas need improvement:

- a) Projects/Consultancy: Needs improvement. Consultancy assignments are practically nil. Can take up interdisciplinary projects in collaboration with other departments.
 - b) Academic events/Activities: More technical programmes need to be conducted; the department has been in existence for several years. Hence it should own at least 2-3 International events and should conduct them every year. Student chapters of professional societies need to be functional and active in conducting the above programmes. More externally funded projects are to be taken up by the faculty members. Faculty members at junior level shall also be participated in active research. Utilize the scope for intra and extra departmental collaboration in conducting programmes/ research.
 - c) The Department Council discussed in detail the evaluation reports of Academic Audit for the year 2017-18 and finalized the following actions. In general, the department should strike for betterment of teaching, research and extension in particular
 - (a) IUCAE decided to give more internships, associate ships, projects depending on the availability of funds.
 - (b) Decided to explore extension and consultancy activities.
 - (c) Decided to start GATE coaching classes.
1. The theoretical concepts through lab sessions can be enhanced so that the students get a feel of industry perspective. There should be meaningful interaction with professionals from industry, discuss trends in the industry and this should form a compulsory part of curriculum.
 2. The Placement record is also excellent. The placement cell and its activities can be elaborated.
 3. The research projects, entrepreneurship Development cell activities, and the regularity of the in house Journal publication, are to be strengthened in future.
 4. Department to ensure institute- industry as well as institute- society linkages as part of better learning, quality research and possible consultancy and extension services.
 5. Steps would be initiated to ensure greater involvement of students in the learning process as well as in the research initiatives of Department.
 6. Measure would be taken for IT usage in the classroom and to create a student friendly environment that supports learning. The teachers, researchers, students and staff of the

Department resolve to work as a team in the pursuit of quality education that promotes excellence and triggers true learning.


Suggestions:

The senior faculty of all the departments needs to show the devotion and commitment towards the improvement of the teaching and learning process, research and curricular, co-curricular and extracurricular activities.



IQAC Coordinator
Coordinator

Internal Quality Assessment Committee



Principal
PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : 17KTIA0338 A.Y. : 2018-2019
Roll No. : M. Ramesh Department : Mech
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college					✓
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility					
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

M. Ramesh
Signature of the Student

please conduct more events.

[Signature]
Coordinator

Internal Quality Assessment Committee

[Signature]
PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001



POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : 17KT1A0114 A.Y. : 2018-2019
Roll No. : J. Divya Department : CIVIL
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓


J. Divya

Signature of the Student

Coordinator

Internal Quality Assessment Committee

PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : D. Sumanth

A.Y. : 2018 - 2019

Roll No. : 17KTIA0474

Department : ECE

Year : II

Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

D. Sumanth

Signature of the Student

A. S. S. S.
Coordinator

Internal Quality Assessment Committee

K. S. S. S.
PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : K. Santhosh A.Y. : 2018-19
Roll No. : 17KT1A0515 Department : CSE
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?				✓	✓
6	Usage of ICT facility in the class room					
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

Signature of the Student


K. Santhosh

Coordinator

Internal Quality Assessment Committee

PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.

Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : M. DH88Raj A.Y. : 2018-19
Roll No. : 17KT1A0588 Department : CSE
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

Coordinator


Internal Quality Assessment Committee

conduct more Events

Signature of the Student

M. DH88Raj.

[Signature]
POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
College of Engineering & Technology
Kothapet, VIJAYAWADA - 520 001.



POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : G. Ramu A.Y. : 2018 - 2019
Roll No. : 17 KTAO 214 Department : EEE
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college					✓
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

G. Ramu
Signature of the Student

[Signature]
Coordinator

Internal Quality Assessment Committee

[Signature]
PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.

Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in


FEEDBACK ON FACILITIES

Name of the Student : P. Ramya A.Y. : 2018-19
Roll No. : 17KTIA04AO Department : ECE
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent


S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	


Coordinator


Signature of the Student

Internal Quality Assessment Committee

Conduct more workshops.


PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : *M. Ganesh*

A.Y. : *2018-19*

Roll No. : *17KT1A0444*

Department : *ECE*

Year : *II*

Semester : *II*

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus					✓
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

M. Ganesh

Signature of the Student

1016101000

[Signature]

Coordinator

Internal Quality Assessment Committee

Principal
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : G. Ramu A.Y. : 2018 - 2019
Roll No. : 17 KTAO 214 Department : EEE
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent


S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college					✓
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

G. Ramu
Signature of the Student

[Signature]
Coordinator

Internal Quality Assessment Committee

[Signature]
PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada

Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906

D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.

Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : M. Rakesh A.Y. : 2018-2019
Roll No. : 19KT1A05224 Department : EEE
Year : II Semester : II

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

M. Rakesh
Signature of the Student

Coordinator

Internal Quality Assessment Committee

PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001

99311100J Inm22222A yllsuD lsmot



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906

D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

Minutes of the IQAC meeting held on 23-12- 2017

Academic Year: **2017 – 18**


1. Minutes of previous meeting were confirmed.
2. To re-constitute the standing committee for Mock Assessment Process needed for preparation of NAAC assessment.
3. The existing student feedback system was discussed and changes in the form were suggested by the team.
4. With the permission of chair, decided to conduct more seminars/FDP for the faculty of our college.
5. Decided to encourage the students to appear in GATE.
6. The team decided in the meeting to conduct the Academic and Administrative audit from 20 July 2018. Guidelines for the audit to be conducted in view of NBA and NAAC criteria and also ISO were also discussed.
7. The members of IQAC decided to cover the following during the academic and administrative audit.
 - i. Mentorship
 - ii. Student Progression
 - iii. Infrastructure & Resources
 - iv. Teaching Learning & Evaluation
 - v. Teaching-Learning Environment
 - vi. Value based education
 - vii. Discipline practices
 - viii. Provision of career oriented programs
 - ix. Placement & Internship Programs
 - x. Consultancy Services
 - xi. E-Library Resources


IQAC Coordinator

Internal Quality Assessment Committee


Principal
PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : R. NAVYA A.Y. : 2017 -18
Roll No. : 16KTIAD0188 Department : CIVIL
Year : III Semester : I

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent


S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college					✓
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library			✓		
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff			✓		
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college			✓		
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained			✓		

R. Navya
Signature of the Student

[Signature]
Coordinator

Internal Quality Assessment Committee

[Signature]
PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.

Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : 16KTIA0316 A.Y. : 2017-18
Roll No. : D.Saikumar Department : Mech
Year : III Semester : I

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

D. Saikumar
Signature of the Student

Coordinator

Internal Quality Assessment Committee

Principal
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.
Internal Quality Assessment Committee



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No.7-3-61, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : 16KT1A0200 A.Y. : 2017-2018
Roll No. : B. Sushma Department : EEE
Year : I Semester : 2

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college			✓		
2	Wi-Fi and Internet facility				✓	✓
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance			✓		
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus			✓		
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance			✓		
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate			✓		
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained			✓		

B. Sushma
Signature of the Student

[Signature]
Coordinator

Internal Quality Assessment Committee

[Signature]
PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.

[Signature]
Internal Quality Assessment Committee



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : D. Palavi A.Y. : 2017-2018
Roll No. : 16RT1A0426 Department : ECE
Year : III Semester : I

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

D. Palavi
Signature of the Student

Coordinator

Internal Quality Assessment Committee

PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : G. Kiran A.Y. : 2017-2018
Roll No. : 16KT1A0440 Department : ECE
Year : I Semester : 2

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college					✓
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college					✓
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	


G. Kiran
Signature of the Student

Coordinator

PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.

Internal Quality Assessment Committee



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : A. Komali A.Y. : 2017-2018
Roll No. : 16KT1A0403 Department : ECE
Year : III Semester : 1

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college					✓
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus					✓
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college				✓	
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

A. Komali
Signature of the Student


[Signature]
Coordinator

Internal Quality Assessment Committee

[Signature]
PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.

Internal Quality Assessment Committee



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : *A. Sirisha* A.Y. : *2017-2018*
Roll No. : *16KT1A0506* Department : *CSE*
Year : *III* Semester : *I*

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility					✓
3	Sufficient quantity of books and journals in the college library					✓
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?					✓
6	Usage of ICT facility in the class room					✓
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained					✓

A. Sirisha

Signature of the Student

[Signature]

Coordinator


[Signature]
PRINCIPAL

Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.

Coordinating

Internal Quality Assessment Committee

Internal Quality Assessment Committee



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.

Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : A. Bindu A.Y. : 2017-2018
Roll No. : 16KTI1A0519 Department : CSE
Year : III Semester : I

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library			✓		
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room			✓		
7	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
8	Do the girls feel secure in the campus					✓
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance					✓
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted					✓
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

A. Bindu


Signature of the Student

A. Bindu
Coordinator

Internal Quality Assessment Committee

Principal
PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.

Internal Quality Assessment Committee



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.

Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : K. Swetha A.Y. : 2017 - 2018
Roll No. : 16KT1A0541 Department : CSE
Year : 1 Semester : 2

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library			✓		
4	Campus Maintainance					✓
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room			✓		✓
7	Canteen facilities: Food Quality, Ambience and Support Staff					
8	Do the girls feel secure in the campus					✓
9	Drinking water facility				✓	
10	Washroom Cleanliness and Maintenance			✓		
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college			✓		
13	Transportation provided by the college adequate					✓
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained			✓		

K. Swetha
Signature of the Student


K. Swetha
PRINCIPAL
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.

[Signature]
Coordinator

Internal Quality Assessment Committee

Coordinator

Internal Quality Assessment Committee



**POTTI SRIRAMULU CHALAVADI MALLIKHARJUNA RAO
COLLEGE OF ENGINEERING & TECHNOLOGY**

Approved by AICTE, NEW DELHI and Affiliated to JNTU, Kakinada
Sponsored by : SKPVV Hindu High Schools Committee, Estd : 1906
D.No. 7-3-6/1, Raghava Reddy Street, Kothapet, Vijayawada - 520 001.
Voice : 0866-2423442, 91777 77855, Fax : 0866-2423443, E-mail: principal@pscmr.ac.in, www.pscmr.ac.in

FEEDBACK ON FACILITIES

Name of the Student : *O. Sairam* A.Y. : *2017-18*
Roll No. : *16KT1A0571* Department : *CSE*
Year : *IIIrd* Semester : *F*

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Overall environment of the college				✓	
2	Wi-Fi and Internet facility				✓	
3	Sufficient quantity of books and journals in the college library				✓	
4	Campus Maintainance				✓	
5	How You Find Institutions Administrative officers?				✓	
6	Usage of ICT facility in the class room				✓	
7	Canteen facilities: Food Quality, Ambience and Support Staff					✓
8	Do the girls feel secure in the campus				✓	
9	Drinking water facility					✓
10	Washroom Cleanliness and Maintenance				✓	
11	Extent of co- curricular and extracurricular activities offered by the college				✓	
12	Sports facilities in the college					✓
13	Transportation provided by the college adequate				✓	
14	Are the Classrooms airy/ properly lighted				✓	
15	Were the laboratories/ workshops adequately equipped and properly maintained				✓	

O. Sairam
Signature of the Student

Please introduce more co-curricular
and extracurricular activities

[Signature]
Coordinator

Internal Quality Assessment Committee

[Signature]
Principal
Potti Sriramulu Chalavadi Mallikharjuna Rao
College of Engineering & Technology
Kothapet, VIJAYAWADA-520 001.